



## Carbide Straight Flute Reamers (.3170-.3560)

Size	Decimal Equiv	# of Flutes	FL	OAL	Shank ø	Uncoated Part #
-	.3170	6	1-1/8	3-1/4	.3170	<a href="#">RR23389</a>
-	.3180	6	1-1/8	3-1/4	.3180	<a href="#">RR23390</a>
-	.3190	6	1-1/8	3-1/4	.3190	<a href="#">RR23391</a>
-	.3200	6	1-1/8	3-1/4	.3200	<a href="#">RR23392</a>
-	.3210	6	1-1/4	3-1/2	.3210	<a href="#">RR23393</a>
-	.3220	6	1-1/4	3-1/2	.3220	<a href="#">RR23394</a>
P	.3230	6	1-1/4	3-1/2	.3230	<a href="#">RR23395</a>
-	.3240	6	1-1/4	3-1/2	.3240	<a href="#">RR23396</a>
-	.3250	6	1-1/4	3-1/2	.3250	<a href="#">RR23397</a>
-	.3260	6	1-1/4	3-1/2	.3260	<a href="#">RR23398</a>
-	.3270	6	1-1/4	3-1/2	.3270	<a href="#">RR23399</a>
-	.3280	6	1-1/4	3-1/2	.3280	<a href="#">RR23400</a>
21/64	.3281	6	1-1/4	3-1/2	.3281	<a href="#">RR23401</a>
-	.3290	6	1-1/4	3-1/2	.3290	<a href="#">RR23402</a>
-	.3300	6	1-1/4	3-1/2	.3300	<a href="#">RR23403</a>
-	.3310	6	1-1/4	3-1/2	.3310	<a href="#">RR23404</a>
Q	.3320	6	1-1/4	3-1/2	.3320	<a href="#">RR23405</a>
-	.3330	6	1-1/4	3-1/2	.3330	<a href="#">RR23406</a>
-	.3340	6	1-1/4	3-1/2	.3340	<a href="#">RR23407</a>
8.5MM	.3346	6	1-1/4	3-1/2	.3346	<a href="#">RR23408</a>
-	.3350	6	1-1/4	3-1/2	.3350	<a href="#">RR23409</a>
-	.3360	6	1-1/4	3-1/2	.3360	<a href="#">RR23410</a>
-	.3370	6	1-1/4	3-1/2	.3370	<a href="#">RR23411</a>
-	.3380	6	1-1/4	3-1/2	.3380	<a href="#">RR23412</a>
R	.3390	6	1-1/4	3-1/2	.3390	<a href="#">RR23413</a>
-	.3400	6	1-1/4	3-1/2	.3400	<a href="#">RR23414</a>
-	.3410	6	1-1/4	3-1/2	.3410	<a href="#">RR23415</a>
-	.3420	6	1-1/4	3-1/2	.3420	<a href="#">RR23416</a>
-	.3430	6	1-1/4	3-1/2	.3430	<a href="#">RR23417</a>
11/32	.3438	6	1-1/4	3-1/2	.3438	<a href="#">RR23418</a>
-	.3440	6	1-1/4	3-1/2	.3440	<a href="#">RR23419</a>
-	.3450	6	1-1/4	3-1/2	.3450	<a href="#">RR23420</a>
-	.3460	6	1-1/4	3-1/2	.3460	<a href="#">RR23421</a>
-	.3470	6	1-1/4	3-1/2	.3470	<a href="#">RR23422</a>
S	.3480	6	1-1/4	3-1/2	.3480	<a href="#">RR23423</a>
-	.3490	6	1-1/4	3-1/2	.3490	<a href="#">RR23424</a>
-	.3500	6	1-1/4	3-1/2	.3500	<a href="#">RR23425</a>
-	.3510	6	1-1/4	3-1/2	.3510	<a href="#">RR23426</a>
-	.3520	6	1-1/4	3-1/2	.3520	<a href="#">RR23427</a>
-	.3530	6	1-1/4	3-1/2	.3530	<a href="#">RR23428</a>
-	.3540	6	1-1/4	3-1/2	.3540	<a href="#">RR23429</a>
9MM	.3543	6	1-1/4	3-1/2	.3543	<a href="#">RR23430</a>
-	.3550	6	1-1/4	3-1/2	.3550	<a href="#">RR23431</a>
-	.3560	6	1-1/4	3-1/2	.3560	<a href="#">RR23432</a>

## Carbide Straight Flute Reamers (.3570-.3930)

Size	Decimal Equiv	# of Flutes	FL	OAL	Shank ø	Uncoated Part #
-	.3570	6	1-1/4	3-1/2	.3570	<a href="#">RR23433</a>
T	.3580	6	1-1/4	3-1/2	.3580	<a href="#">RR23434</a>
-	.3590	6	1-1/4	3-1/2	.3590	<a href="#">RR23435</a>
23/64	.3594	6	1-1/4	3-1/2	.3594	<a href="#">RR23436</a>
-	.3600	6	1-1/4	3-1/2	.3600	<a href="#">RR23437</a>
-	.3610	6	1-1/4	3-1/2	.3610	<a href="#">RR23438</a>
-	.3620	6	1-1/4	3-1/2	.3620	<a href="#">RR23439</a>
-	.3630	6	1-1/4	3-1/2	.3630	<a href="#">RR23440</a>
-	.3640	6	1-1/4	3-1/2	.3640	<a href="#">RR23441</a>
-	.3650	6	1-1/4	3-1/2	.3650	<a href="#">RR23442</a>
-	.3660	6	1-1/4	3-1/2	.3660	<a href="#">RR23443</a>
-	.3670	6	1-1/4	3-1/2	.3670	<a href="#">RR23444</a>
U	.3680	6	1-1/4	3-1/2	.3680	<a href="#">RR23445</a>
-	.3690	6	1-1/4	3-1/2	.3690	<a href="#">RR23446</a>
-	.3700	6	1-1/4	3-1/2	.3700	<a href="#">RR23447</a>
-	.3710	6	1-1/4	3-1/2	.3710	<a href="#">RR23448</a>
-	.3720	6	1-1/4	3-1/2	.3720	<a href="#">RR23449</a>
-	.3730	6	1-1/4	3-1/2	.3730	<a href="#">RR23450</a>
9.5MM	.3740	6	1-1/4	3-1/2	.3740	<a href="#">RR23451</a>
-	.3745	6	1-1/4	3-1/2	.3745	<a href="#">RR23452</a>
3/8	.3750	6	1-1/4	3-1/2	.3750	<a href="#">RR23453</a>
-	.3755	6	1-1/4	3-1/2	.3755	<a href="#">RR23454</a>
-	.3760	6	1-1/4	3-1/2	.3760	<a href="#">RR23455</a>
-	.3765	6	1-1/4	3-1/2	.3765	<a href="#">RR23456</a>
V	.3770	6	1-1/4	3-1/2	.3770	<a href="#">RR23457</a>
-	.3780	6	1-1/4	3-1/2	.3780	<a href="#">RR23458</a>
-	.3790	6	1-1/4	3-1/2	.3790	<a href="#">RR23459</a>
-	.3800	6	1-1/4	3-1/2	.3800	<a href="#">RR23460</a>
-	.3810	6	1-1/4	3-1/2	.3810	<a href="#">RR23461</a>
-	.3820	6	1-1/4	3-1/2	.3820	<a href="#">RR23462</a>
-	.3830	6	1-1/4	3-1/2	.3830	<a href="#">RR23463</a>
-	.3840	6	1-1/4	3-1/2	.3840	<a href="#">RR23464</a>
-	.3850	6	1-1/4	3-1/2	.3850	<a href="#">RR23465</a>
W	.3860	6	1-1/4	3-1/2	.3860	<a href="#">RR23466</a>
-	.3870	6	1-1/4	3-1/2	.3870	<a href="#">RR23467</a>
-	.3880	6	1-1/4	3-1/2	.3880	<a href="#">RR23468</a>
-	.3890	6	1-1/4	3-1/2	.3890	<a href="#">RR23469</a>
-	.3900	6	1-1/4	3-1/2	.3900	<a href="#">RR23470</a>
25/64	.3906	6	1-1/4	3-1/2	.3906	<a href="#">RR23471</a>
-	.3910	6	1-1/4	3-1/2	.3910	<a href="#">RR23472</a>
-	.3920	6	1-1/4	3-1/2	.3920	<a href="#">RR23473</a>
-	.3930	6	1-1/4	3-1/2	.3930	<a href="#">RR23474</a>

Tolerances	Diameter	Shank
All Sizes	+0.003, -.0000	+0.003, -.0002



Speeds, feeds & tech info pages 497-498.

