

Double Margin - 3XD



AlTiN Coated

Double Margin, Solid Carbide, Coolant Fed, 142° Point, 3X Dia., 30° Helix (3307-4375)

Drill Size	Decimal Equiv	Flute Length	Drill Depth	OAL	Shank ø	AlTiN Coated Part #
8.40MM	.3307	47	35	89	10.0	RDX3278
Q	.3320	1.850	1.378	3.504	3/8	RDX3279
8.50MM	.3346	47	35	89	10.0	RDX3280
8.60MM	.3386	47	35	89	10.0	RDX3281
8.70MM	.3425	47	35	89	10.0	RDX3282
11/32	.3438	1.850	1.378	3.504	3/8	RDX3283
8.80MM	.3465	47	35	89	10.0	RDX3284
8.90MM	.3504	47	35	89	10.0	RDX3285
9.00MM	.3543	47	35	89	10.0	RDX3286
9.10MM	.3583	47	35	89	10.0	RDX3287
23/64	.3594	1.850	1.378	3.504	3/8	RDX3288
9.20MM	.3622	47	35	89	10.0	RDX3289
9.25MM	.3642	47	35	89	10.0	RDX3290
9.30MM	.3661	47	35	89	10.0	RDX3291
9.40MM	.3701	47	35	89	10.0	RDX3292
9.50MM	.3740	47	35	89	10.0	RDX3293
3/8	.3750	1.850	1.378	3.504	3/8	RDX3294
9.60MM	.3780	47	35	89	10.0	RDX3295
9.70MM	.3819	47	35	89	10.0	RDX3296
9.80MM	.3858	47	35	89	10.0	RDX3297
9.90MM	.3898	47	35	89	10.0	RDX3298
25/64	.3906	1.850	1.378	3.504	7/16	RDX3299
10.00MM	.3937	47	35	89	10.0	RDX3300
10.10MM	.3976	55	40	102	12.0	RDX3301
10.15MM	.3996	55	40	102	12.0	RDX3302
10.20MM	.4016	55	40	102	12.0	RDX3303
10.30MM	.4055	55	40	102	12.0	RDX3304
13/32	.4062	2.165	1.575	4.016	7/16	RDX3305
10.40MM	.4094	55	40	102	12.0	RDX3306
10.50MM	.4134	55	40	102	12.0	RDX3307
10.60MM	.4173	55	40	102	12.0	RDX3308
10.70MM	.4213	55	40	102	12.0	RDX3309
27/64	.4219	2.165	1.575	4.016	7/16	RDX3310
10.80MM	.4252	55	40	102	12.0	RDX3311
10.90MM	.4291	55	40	102	12.0	RDX3312
11.00MM	.4331	55	40	102	12.0	RDX3313
11.10MM	.4370	55	40	102	12.0	RDX3314
7/16	.4375	2.165	1.575	4.016	7/16	RDX3315



Carbide Drills



Speeds & Feeds page 330.

For detailed tolerance information, see page 329.