



AICrN Coated

### Variable Helix, 3-Flute, Extended Reach, Square & Corner Radius, Metric

Cutter ø	Decimal Equiv	Flute Length	Reach Length	OAL	Corner Radius	Shank ø	AICrN Coated Part #
1MM	.0394	3	10	75	—	6	<a href="#">REM2094</a>
1MM	.0394	3	10	75	.1	6	<a href="#">REM2095</a>
1MM	.0394	3	10	75	.2	6	<a href="#">REM2096</a>
1MM	.0394	3	10	75	.3	6	<a href="#">REM2097</a>
1.5MM	.0591	4.5	15	75	—	6	<a href="#">REM2098</a>
1.5MM	.0591	4.5	15	75	.1	6	<a href="#">REM2099</a>
1.5MM	.0591	4.5	15	75	.2	6	<a href="#">REM2100</a>
1.5MM	.0591	4.5	15	75	.3	6	<a href="#">REM2101</a>
1.5MM	.0591	4.5	15	75	.5	6	<a href="#">REM2102</a>
2MM	.0787	6	20	75	—	6	<a href="#">REM2103</a>
2MM	.0787	6	20	75	.2	6	<a href="#">REM2104</a>
2MM	.0787	6	20	75	.3	6	<a href="#">REM2105</a>
2MM	.0787	6	20	75	.5	6	<a href="#">REM2106</a>
2.5MM	.0984	7.5	25	75	—	6	<a href="#">REM2107</a>
2.5MM	.0984	7.5	25	75	.2	6	<a href="#">REM2108</a>
2.5MM	.0984	7.5	25	75	.3	6	<a href="#">REM2109</a>
2.5MM	.0984	7.5	25	75	.5	6	<a href="#">REM2110</a>
3MM	.1181	9	30	75	—	6	<a href="#">REM2111</a>
3MM	.1181	9	30	75	.2	6	<a href="#">REM2112</a>
3MM	.1181	9	30	75	.3	6	<a href="#">REM2113</a>
3MM	.1181	9	30	75	.5	6	<a href="#">REM2114</a>
3MM	.1181	9	30	75	1	6	<a href="#">REM2115</a>
4MM	.1575	12	30	75	—	6	<a href="#">REM2116</a>
4MM	.1575	12	30	75	.2	6	<a href="#">REM2117</a>
4MM	.1575	12	30	75	.3	6	<a href="#">REM2118</a>
4MM	.1575	12	30	75	.5	6	<a href="#">REM2119</a>
4MM	.1575	12	30	75	1	6	<a href="#">REM2120</a>
5MM	.1969	15	40	75	—	6	<a href="#">REM2121</a>
5MM	.1969	15	40	75	.2	6	<a href="#">REM2122</a>
5MM	.1969	15	40	75	.3	6	<a href="#">REM2123</a>
5MM	.1969	15	40	75	.5	6	<a href="#">REM2124</a>
5MM	.1969	15	40	75	1	6	<a href="#">REM2125</a>
5MM	.1969	15	40	75	1.5	6	<a href="#">REM2126</a>
6MM	.2362	18	45	75	—	6	<a href="#">REM2127</a>
6MM	.2362	18	45	75	.2	6	<a href="#">REM2128</a>
6MM	.2362	18	45	75	.3	6	<a href="#">REM2129</a>
6MM	.2362	18	45	75	.5	6	<a href="#">REM2130</a>
6MM	.2362	18	45	75	1	6	<a href="#">REM2131</a>
6MM	.2362	18	45	75	1.5	6	<a href="#">REM2132</a>



Tolerances	Diameter	Shank	Radius
Metric	+0.000, -0.020	+0.000, -0.008	+0.050, -0.050



Speeds & Feeds page 189.